


TRIGONOMETRÍA - VALORES

SIGNO DE LAS RAZONES TRIGONOMÉTRICAS





VALORES DE LAS RAZONES TRIGONOMÉTRICAS DE ÁNGULOS NOTABLES


grados	0°	30°	45°	60°	90°	180°	270°	360°
radianes	0	$\frac{\pi}{6}$	$\frac{\pi}{4}$	$\frac{\pi}{3}$	$\frac{\pi}{2}$	π	$\frac{3\pi}{2}$	2π
sen	0	$\frac{1}{2}$	$\frac{\sqrt{2}}{2}$	$\frac{\sqrt{3}}{2}$	1	0	-1	0
cos	1	$\frac{\sqrt{3}}{2}$	$\frac{\sqrt{2}}{2}$	$\frac{1}{2}$	0	-1	0	1
tg	0	$\frac{\sqrt{3}}{3}$	1	$\sqrt{3}$	*	0	*	0
cotg	*	$\sqrt{3}$	1	$\frac{\sqrt{3}}{3}$	0	*	0	*
sec	1	$\frac{2\sqrt{3}}{3}$	$\sqrt{2}$	2	*	-1	*	1
cosec	*	2	$\sqrt{2}$	$\frac{2\sqrt{3}}{3}$	1	*	-1	*

LÍNEAS TRIGONOMÉTRICAS

$$\begin{aligned} \text{sen } \alpha &\rightarrow \overline{BP} & \text{cos } \alpha &\rightarrow \overline{OB} & \text{tg } \alpha &\rightarrow \overline{AE} \\ \text{cosec } \alpha &\rightarrow \overline{OC} & \text{sec } \alpha &\rightarrow \overline{OE} & \text{cotg } \alpha &\rightarrow \overline{DC} \end{aligned}$$




REDUCCIÓN AL PRIMER CUADRANTE




Ángulos del 1º Cuadrante
(ángulos complementarios)

$$\begin{aligned} \text{sen}(90^\circ - \alpha) &= \text{cos } \alpha & \text{cosec}(90^\circ - \alpha) &= \text{sec } \alpha \\ \text{cos}(90^\circ - \alpha) &= \text{sen } \alpha & \text{sec}(90^\circ - \alpha) &= \text{cosec } \alpha \\ \text{tg}(90^\circ - \alpha) &= \text{cotg } \alpha & \text{cotg}(90^\circ - \alpha) &= \text{tg } \alpha \end{aligned}$$




Ángulos del 2º Cuadrante
(ángulos suplementarios)

$$\begin{aligned} \text{sen}(180^\circ - \alpha) &= \text{sen } \alpha & \text{cosec}(180^\circ - \alpha) &= \text{cosec } \alpha \\ \text{cos}(180^\circ - \alpha) &= -\text{cos } \alpha & \text{sec}(180^\circ - \alpha) &= -\text{sec } \alpha \\ \text{tg}(180^\circ - \alpha) &= -\text{tg } \alpha & \text{cotg}(180^\circ - \alpha) &= -\text{cotg } \alpha \end{aligned}$$



Ángulos del 3º Cuadrante
(ángulos que difieren en 180°)

$$\begin{aligned} \text{sen}(180^\circ + \alpha) &= -\text{sen } \alpha & \text{cosec}(180^\circ + \alpha) &= -\text{cosec } \alpha \\ \text{cos}(180^\circ + \alpha) &= -\text{cos } \alpha & \text{sec}(180^\circ + \alpha) &= -\text{sec } \alpha \\ \text{tg}(180^\circ + \alpha) &= \text{tg } \alpha & \text{cotg}(180^\circ + \alpha) &= \text{cotg } \alpha \end{aligned}$$



Ángulos del 4º Cuadrante
(ángulos opuestos)

$$\begin{aligned} \text{sen}(-\alpha) &= -\text{sen } \alpha & \text{cosec}(-\alpha) &= -\text{cosec } \alpha \\ \text{cos}(-\alpha) &= \text{cos } \alpha & \text{sec}(-\alpha) &= \text{sec } \alpha \\ \text{tg}(-\alpha) &= -\text{tg } \alpha & \text{cotg}(-\alpha) &= -\text{cotg } \alpha \end{aligned}$$